

AMBIENT

SAFE-WAY
GARAGE DOORS
Make a Statement.

MODELS 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 272, 273



Beauty & Strength

Ambient Series by Safe-Way can add rustic charm, contemporary composition or classic curb appeal to any home or project be it residential, commercial or industrial. The superior thermal performance of Ambient's high density polyurethane foam provides added strength, performance and durability combined with ease of use and low maintenance. The multitude of designs, options and colors of the Ambient Series will offer you endless possibilities to your new home or home improvement upgrade. "Make a Statement" choose American Made and American Owned Safe-Way.

Make a Statement.



MODELS 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 272, 273

AVAILABLE COLORS:

Models 84, 85, 86, 87, 88, 89, 272





Models 90, 91, 92, 93, 94, 95, 273



AVAILABLE PANEL STYLES:




Optional Decorative Hardware



MODELS 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 272, 273

ESTATE WINDOW SERIES


Model 85, 86, 88, 90, 93, 94, 272 & 273 | Standard | Raised Panel



Model 89, 91, 272 & 273 | Medium | Raised Panel




Model 84, 86, 87, 88, 92, 93, 94, 95, 272 & 273 | Long Ranch | Raised Panel




GENTRY WINDOW SERIES*


Model 85, 86, 88, 90, 93, 94, 272 & 273 | Standard | Raised Panel



Model 89, 91, 272 & 273 | Medium | Raised Panel



Model 84, 86, 87, 88, 92, 93, 94, 95, 272 & 273 | Long Ranch | Raised Panel




*Safe-Way recommends viewing samples of Gentry style window prior to ordering. Gentry depictions on this literature are actual photography however lighting inside or outside the garage can significantly impact the "look" of these windows. Please consult with your dealer prior to purchase.

CONSTRUCTION

Two deep-drawn, tension-leveled, galvanized steel skins are polyester painted. The skins encapsulate a high density injected polyurethane core which is bonded using a polyurethane adhesive. Section joints sealed with a polypropylene bulb thermal break anchored within the polyurethane core. This construction method provides superb thermal performance, durability, strength, sound deadening qualities, and dent resistance for an all-around superior product.

- A. Finish Painted Coat
- B. Primer Coat
- C. Galvanized Layer
- D. Steel




- A. Tongue and groove enclosed with bulb type polypropylene thermal break anchored within the polyurethane core.
- B. Polyurethane injected insulation provides an R-value of 17.68.
- C. Steel skins inside and out provide maximum durability.
- D. 20 gauge pre-painted heavy steel end stiles for added strength.
- E. Interior 20 gauge backer plate full height of section at all hinge points.

* other features include:

11 ball nylon rollers provide quiet operation and long lasting durability.

Heavy duty galvanized 14 gauge hardware

Aluminum bottom retainer with vinyl weatherstrip.



Dynamic Industries
Torsion Spring & Hardware

Canada (Mississauga)

4180 Sladeview Crescent, Unit 2
Mississauga, Ontario L5L 0A1
Canada

Tel 1-905-607-8868
Fax 1-905-607-8887
mississauga@dm-ind.com

Canada (Vaughan)

299 Basaltic Road, Unit 4
Concord, Ontario L4K 4W8
Canada

Tel 1-905-879-5888
Fax 1-905-879-7888
vaughan@dm-ind.com

www.dm-ind.com



SAFE-WAY
GARAGE DOORS
Make a Statement.

3814 East U.S. 30 • Warsaw, IN 46580
574-267-4861 • Fax: 574-267-2871
safe-waydoor.com