Regency

Safe-Way Model 70 in Driftwood



64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 270, 271



Elegance and Performance


Enhance the appearance of your home with Regency Series by Safe-Way. These handsome residential garage doors combine the beauty of wood-like design with the strength and easy care of steel. Available with a variety of panel styles, the Regency Series features insulation surrounded by two steel skins, thus providing durability and noise reduction. A choice of window styles and durable baked factory finishes lets you select the perfect door for your home.

Make a Statement.





64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 270, 271



OPTIONAL DECORATIVE HARDWARE



AVAILABLE PANEL STYLES



Flush // Model 66,74

Stamped Carriage Short // Model 68, 73

Stamped Carriage Long // Model 64, 75

Pencil Groove // Model 270, 271





ESTATE WINDOW SERIES

Model 65, 66, 68, 70, 73, 74, 270, 271 | Standard | Raised Panel



W Sunrise 6 Sunrise 5

Sunrise 7

NA

Sherwood 8

Model 69, 71, 270, 271 | Medium | Raised Panel



Sunset 8

Model 64, 66, 67, 68, 72, 74, 75, 270, 271 | Long Ranch | Raised Panel



Waterton Long Sunset Long 2 Sunset Long 4 Prairie Long

Gentry Window Series*

Model 65, 66, 68, 70, 73, 74, 270, 271 | Standard | Raised Panel



Pewter Pencil Two Diamond

Model 69, 71, 270, 271 | Medium | Raised Panel





Pewter Pencil Two Diamond

Model 64, 66, 67, 68, 72, 73, 74, 75, 270, 271 | Long Ranch | Raised Panel



Brass Pencil Ten Square Pewter Pencil Ten Square Brass Pencil Four Diamond Pewter Pencil Four Diamond

*Safe-Way recommends viewing samples of Gentry style window prior to ordering. Gentry depictions on this literature are actual photography however lighting inside or outside the garage can significantly impact the "look" of these windows. Please consult with your dealer prior to purchase.



64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 270, 271

Construction

Two deep-drawn, tension-leveled, galvanized steel skins are polyester painted and wrapped around a one-pound density expanded polystyrene insulation board using a polyurethane adhesive. This construction method provides insulation value, durability, sound deadening qualities, and dent resistance for an all-around superior product.

- A. Finish Painted Coat
- B. Primer Coat
- C. Galvanized Layer
- D. Steel

- A
- B
- C









- **A.** 11 ball nylon rollers provide quiet operation and long lasting durability.
- **B.** Heavy duty galvanized 14 gauge hardware.
- C. Tongue and groove design provides weathertight section joints.
- **D.** Expanded polystyrene insulation provides an R-Value of 10.25.
- E. Steel skins inside and out provide maximum durability.
- **F.** Aluminum bottom retainer with vinyl weatherstrip.





Canada (Mississauga)

4180 Sladeview Crescent, Unit 2 Mississauga, Ontario L5L 0A1 Canada Tel 1-905-607-8868 Fax 1-905-607-8887 mississauga@dm-ind.com **Canada (Vaughan)** 299 Basaltic Road, Unit 4 Tel

299 Basaltic Road, Unit 4 Concord, Ontario L4K 4W8 Canada Tel 1-905-879-5888 Fax 1-905-879-7888 vaughan@dm-ind.com

www.dm-ind.com



3814 East U.S. 30 • Warsaw, IN 46580 574-267-4861 • Fax: 574-267-2871 safe-waydoor.com